



BUILT ON PEDIGREE

E-FX Fires, environmentally friendly, real in appearance and unbelievably electric.

For the last 24 years, Flamerite Fires has been proudly manufacturing in the UK, supporting local, independent fireplace retailers across Great Britain.

Ever since we were established back in 1999, the business has been built on the principles of innovation and driving engineering excellence forward. Our focus is on championing new and exciting designs whilst ensuring the environmental health of our planet is protected for generations to come.



REASONS TO CHOOSE E-FX



UNPRECEDENTED CUSTOMER SERVICE



Friendly assistance from real people – we're extremely easy to contact by phone or email.



ULTRA RELIABILITY

All our award-winning electric fires and fireplaces are designed, assembled and patented, made in Great Britain to the highest UK and European Standards (BS-EN).



3 YEAR FLAMERITE WARRANTY AS STANDARD

Every E-FX fire comes with a full Flamerite Fires 3-year parts & labour warranty, extendable to 4 years with access to certain benefits in year 5 guaranteeing the longevity of your fireplace for years to come.



SHOP OR HOME DIRECT DELIVERY

Everything we sell across the UK is delivered safely on our own transport; we do not use a courier service.



- Powered by AWS consumer supported remote diagnostic back up service
- FULL 3 year warranty with 4th & 5th year option
- Wireless phone charging option on Fireplace suites & Media Walls
- Wireless exterior mood lighting kit
- Eco Compliant technology allows you to independently operate a hidden 1.5 KW thermostatically controlled heating system
- 7-day adaptive dual event timer
- Open window detection
- Easy one hour install with a 3 pin plug



Offering a genuinely user-friendly experience that includes:

- Remote control
- Manual keypad
- Advanced app control
- Works with Google Home & Alexa






- AeroFlame® technological and class leading flame effect (patents pending)
- Ultra black 3 Dimensional realism (with a fully non-reflective rear glass standard option)
- Non reflective UHD front glass
- Variable flame speeds
- Variable flame animations
- Power up pre-set and user programmable favourite animations



- Authentic looking animated log effect with a focalised burn
- Realistic animated smouldering embers
- Shadow enhanced animated downlighting

AEROGLIDE AIRFLOW

A hidden heater with an ultra slim 2cm recess around the fire. The tilting glass mechanism allows for an efficient draw of cool air and a flow of hot air back into the room.



Delivering value without compromise, a LITE alternative to our standard E-FX fire.

- Clear float front glass
- Authentic looking log effect or the option of our one piece Premier Authentic log set
- Six pre-set user animations

E-FX Lite Standard Logs



E-FX Lite Optional Premier Logs







E-FX 1800

CONFIGURATION OPTIONS:


- Available as E-FX or E-FX Lite
- All E-FX Fires may be ordered and configured as either a panoramic 3-sided, corner 2-sided or front facing 1-sided fire
- App controlled optional exterior mood lighting kit
- Easy one hour install with a 3 pin plug



3-SIDED FIRE



2-SIDED FIRE



1-SIDED FIRE



SCAN THE QR CODE OR
SEE PAGE 33 FOR MORE
INFORMATION







E-FX 1500

CONFIGURATION OPTIONS:


- Available as E-FX or E-FX Lite
- All E-FX Fires may be ordered and configured as either a panoramic 3-sided, corner 2-sided or front facing 1-sided fire
- App controlled optional exterior mood lighting kit
- Easy one hour install with a 3 pin plug



3-SIDED FIRE



2-SIDED FIRE



1-SIDED FIRE



SCAN THE QR CODE OR
SEE PAGE 33 FOR MORE
INFORMATION






GEO MEDIA WALL

CONFIGURATION OPTIONS:

- Two flat wall options featuring the E-FX 1500 or E-FX 1500 Lite fire, available in light oak or slate
- Can be ordered complete or just the fire and base only
- As standard when ordered complete each feature Wi-Fi app controlled dual mood lighting
- Compatible with either a 65" or 55" television
- The oak and slate finish can be configured with three colour options: Ivory Cream, Pastel Grey or White
- Three draw base
- A wireless phone charger maybe ordered as an option, neatly concealed next to the fire
- Easy one hour install with a 3 pin plug



Dimensions:
H: 2165mm
W: 2200mm
D: 350mm



SCAN THE QR CODE OR
SEE PAGE 32 FOR MORE
INFORMATION







E-FX 1300

CONFIGURATION OPTIONS:


- Available as E-FX or E-FX Lite
- All E-FX Fires may be ordered and configured as either a panoramic 3-sided, corner 2-sided or front facing 1-sided fire
- App controlled optional exterior mood lighting kit
- Easy one hour install with a 3 pin plug



3-SIDED FIRE



2-SIDED FIRE



1-SIDED FIRE



SCAN THE QR CODE OR
SEE PAGE 33 FOR MORE
INFORMATION






ELARA 1300

CONFIGURATION OPTIONS:

- Available with E-FX 1300 or E-FX 1300 Lite
- Three flat wall options configurable as Wall Mounted, Floor Standing with either a plinth or on contemporary legs
- As standard each feature Wi-Fi app controlled dual mood lighting
- Oak or slate can be configured with three colour options: Ivory Cream, Pastel Grey or White
- A wireless phone charger maybe ordered as an option, neatly concealed into the top mantel
- Easy one hour install with a 3 pin plug



Dimensions: H: 626mm | W: 1740mm | D: 345mm



SCAN THE QR CODE OR
SEE PAGE 32 FOR MORE
INFORMATION






PAYTON 1300

CONFIGURATION OPTIONS:

- Available with E-FX 1300 or E-FX 1300 Lite
- Three flat wall options configurable as Wall Mounted, Floor Standing with either a plinth or on contemporary legs
- As standard each feature Wi-Fi app controlled dual mood lighting
- Oak or slate can be configured with three colour options: Ivory Cream, Pastel Grey or White
- A wireless phone charger maybe ordered as an option, neatly concealed into the top mantel
- Easy one hour install with a 3 pin plug



Dimensions: H: 626mm | W: 1740mm | D: 345mm



SCAN THE QR CODE OR
SEE PAGE 32 FOR MORE
INFORMATION







E-FX 1000

CONFIGURATION OPTIONS:


- Available as E-FX or E-FX Lite
- All E-FX Fires may be ordered and configured as either a panoramic 3-sided, corner 2-sided or front facing 1-sided fire
- App controlled optional exterior mood lighting kit
- Easy one hour install with a 3 pin plug



3-SIDED FIRE



2-SIDED FIRE



1-SIDED FIRE



SCAN THE QR CODE OR
SEE PAGE 33 FOR MORE
INFORMATION






ELARA 1000

CONFIGURATION OPTIONS:

- Available with E-FX 1000 or E-FX 1000 Lite
- Three flat wall options configurable as Wall Mounted, Floor Standing with either a plinth or on contemporary legs
- As standard each feature Wi-Fi app controlled dual mood lighting
- Oak or slate can be configured with three colour options: Ivory Cream, Pastel Grey or White
- A wireless phone charger maybe ordered as an option, neatly concealed into the top mantel
- Easy one hour install with a 3 pin plug



Dimensions: H: 626mm | W: 1440mm | D: 345mm



SCAN THE QR CODE OR
SEE PAGE 32 FOR MORE
INFORMATION






PAYTON 1000

CONFIGURATION OPTIONS:

- Available with E-FX 1000 or E-FX 1000 Lite
- Three flat wall options configurable as Wall Mounted, Floor Standing with either a plinth or on contemporary legs
- As standard each feature Wi-Fi app controlled dual mood lighting
- Oak or slate can be configured with three colour options: Ivory Cream, Pastel Grey or White
- A wireless phone charger maybe ordered as an option, neatly concealed into the top mantel
- Easy one hour install with a 3 pin plug



Dimensions: H: 626mm | W: 1440mm | D: 345mm



SCAN THE QR CODE OR
SEE PAGE 32 FOR MORE
INFORMATION






CAPELLA

CONFIGURATION OPTIONS:

- Available as E-FX or E-FX Lite
- Freestanding flat wall fix
- Three colour choices: Ivory Cream, Pastel Grey or White
- Easy one hour install with a 3 pin plug



Dimensions: H: 995mm | W: 1440mm | D: 320mm




SCAN THE QR CODE OR SEE
PAGE 34 & 35 FOR MORE
INFORMATION



E-FX SL600

CONFIGURATION OPTIONS:

- Available as E-FX or E-FX Lite
- Glass fronted flush to wall
- Easy one hour install with a 3 pin plug
- Visible burn area W: 600mm x H: 475mm




Dimensions: H: 721mm | W: 700mm



MILAN

CONFIGURATION OPTIONS:

- Available as E-FX or E-FX Lite
- Flat wall fix
- Three colour choices: Ivory Cream, Pastel Grey or White
- Easy one hour install with a 3 pin plug



Dimensions: H: 710mm | W: 1200mm | D: 300mm




SCAN THE QR CODE OR SEE
PAGE 34 & 35 FOR MORE
INFORMATION



E-FX SL750S

CONFIGURATION OPTIONS:

- Available as E-FX or E-FX Lite
- Glass fronted flush to wall
- Easy one hour install with a 3 pin plug
- Visible burn area W: 750mm x H: 400mm




Dimensions: H: 631mm | W: 850mm



EUROPA

CONFIGURATION OPTIONS:

- Available as E-FX or E-FX Lite
- Flat wall fix
- Three colour choices: Ivory Cream, Pastel Grey or White
- Easy one hour install with a 3 pin plug



Dimensions: H: 1165mm | W: 1370mm | D: 415mm




SCAN THE QR CODE OR SEE
PAGE 34 & 35 FOR MORE
INFORMATION



E-FX SL750T

CONFIGURATION OPTIONS:

- Available as E-FX or E-FX Lite
- Glass fronted flush to wall
- Easy one hour install with a 3 pin plug
- Visible burn area W: 750mm x H: 400mm




Dimensions: H: 876mm | W: 850mm



LAZIO

CONFIGURATION OPTIONS:

- Available as E-FX or E-FX Lite
- Flat wall fix
- Three colour choices: Ivory Cream, Pastel Grey or White
- Easy one hour install with a 3 pin plug



Dimensions: H: 640mm | W: 1500mm | D: 300mm



SCAN THE QR CODE OR SEE
PAGE 34 & 35 FOR MORE
INFORMATION



E-FX SL1000


CONFIGURATION OPTIONS:

- Available as E-FX or E-FX Lite
- Glass fronted flush to wall
- Easy one hour install with a 3 pin plug
- Visible burn area W: 750mm x H: 655mm




Dimensions: H: 572mm | W: 1100mm

GEO MEDIA WALL
DIMENSIONS (MM)




GEO MEDIA WALL (LIGHT OAK & SLATE)
A: 2165 | B: 2200 | C: 350




GEO MEDIA WALL (LIGHT OAK & SLATE)
A: 2000 | B: 1450 | C: 371 | D: 2200 | E: 1486 | F: 1110 | G: 1550


PAYTON / ELARA 1300
DIMENSIONS (MM)



PAYTON / ELARA 1300 WALL MOUNTED
A: 626 | B: 1740 | C: 345




PAYTON / ELARA 1300 CONTEMPORARY LEGS
A: 801 | B: 1740 | C: 175 | D: 1640




PAYTON / ELARA 1300 PLINTH
A: 827 | B: 1740 | C: 201 | D: 1640


PAYTON / ELARA 1000
DIMENSIONS (MM)



PAYTON / ELARA 1000 WALL MOUNTED
A: 626 | B: 1440 | C: 345




PAYTON / ELARA 1000 CONTEMPORARY LEGS
A: 801 | B: 1440 | C: 175 | D: 1340




PAYTON / ELARA 1000 PLINTH
A: 827 | B: 1440 | C: 201 | D: 1340


E-FX 1800 FIRE
DIMENSIONS (MM)




E-FX 1800 FRONT
A: 574 | B: 1842 | C: 113 | D: 110



E-FX 1500 FRONT
A: 574 | B: 1542 | C: 113 | D: 110



E-FX 1300 FRONT
A: 574 | B: 1342 | C: 113 | D: 110




E-FX 1000 FRONT
A: 574 | B: 1042 | C: 113 | D: 110

E-FX 1500 FIRE
DIMENSIONS (MM)


E-FX 1300 FIRE
DIMENSIONS (MM)

E-FX 1000 FIRE
DIMENSIONS (MM)


Dimensions are the same for both E-FX and E-FX Lite options




E-FX 1800 TOP
A: 285 | B: 1805 | C: 305




E-FX 1500 TOP
A: 285 | B: 1505 | C: 305




E-FX 1300 TOP
A: 285 | B: 1305 | C: 305




E-FX 1000 TOP
A: 285 | B: 1005 | C: 305




E-FX 1800 SIDE
A: 355 | B: 189



E-FX 1500 SIDE
A: 355 | B: 189




E-FX 1300 SIDE
A: 355 | B: 189




E-FX 1000 SIDE
A: 355 | B: 189


E-FX SL1000
DIMENSIONS (MM)



FRONT
A: 1110 | B: 1003




TOP
A: 200 | B: 180




SIDE
A: 535 | B: 572


E-FX SL750T
DIMENSIONS (MM)



FRONT
A: 850 | B: 753




TOP
A: 200 | B: 180




SIDE
A: 658 | B: 876


E-FX SL750S
DIMENSIONS (MM)



FRONT
A: 850 | B: 753




TOP
A: 200 | B: 180




SIDE
A: 413 | B: 631


E-FX SL600
DIMENSIONS (MM)



FRONT
A: 700 | B: 604




TOP
A: 200 | B: 180




SIDE
A: 503 | B: 721

EUROPA E-FX SL750T
DIMENSIONS (MM)



FRONT
A: 1370 | B: 415 | C: 1165




TOP
B: 415



SIDE
C: 1165

CAPELLA E-FX SL600
DIMENSIONS (MM)



FRONT
A: 1140 | B: 320 | C: 995




TOP
B: 320



SIDE
C: 995


MILAN E-FX SL750S
DIMENSIONS (MM)



FRONT
A: 1200 | B: 300 | C: 710




TOP
B: 300



SIDE
C: 710


LAZIO E-FX SL1000
DIMENSIONS (MM)



FRONT
A: 1500 | B: 300 | C: 640



TOP
B: 300



SIDE
C: 640



www.flameritefires.com/efx

Flamerite Fires Ltd, Greenhough Road, Lichfield, Staffordshire WS13 7AU
Tel: 01543 251122 | **Fax:** 01543 251133 | **Email:** info@flameritefires.com

These products are only suitable for well insulated spaces or occasional use.

Manufactured in the United Kingdom. All products are protected by patents, registered design and intellectual property rights. Flamerite Fires Ltd. will protect these rights.
All specifications are correct at the time of publishing but are subject to change.

DISTRIBUTED BY

Company:

Address:

Telephone:

Email:

Website:



ELECTRIC FIRES MADE IN EUROPE